KD-CHECK FWP-6

Fluorescent Penetrant

Product Description

- Fluorescent penetrant based on surfactants
- Type-tested according to DIN EN ISO 3452-2
- Sensitivity class (DIN EN ISO 3452-2): Level 2
- Water and solvent washable
- Suitable for metals and non-metals (suitability for plastics must be checked beforehand)
- Reduced test agent consumption due to low viscosity and optimal dripping properties
- Very good wetting properties
- Low background due to very good wash-off properties especially on rough surfaces
- High test reliability due to strong contrast formation
- Very good biodegradability according to EN ISO 9888
- Can be discharged in aqueous dilution after approval by the local water authority
- Low odour

Product Specifications

- Application: IAa; IAb; IAc; IAd; ICa; ICb; ICc; ICd
- Density (DIN 51757, 20 °C): approx. 1 g/cm³
- Viscosity (EN ISO 3104, 20 °C): approx. 30 mm²/s
- Application range: +10 °C to +50 °C
- Corrosive components (fluorine, chlorine + sulphur):
 each < 200 ppm according to DIN EN ISO 3452-2
- Corrosive components (fluorine, chlorine + sulphur):
 each < 1 % according to ASME Code
- 5 years minimum keeping time at room temperature

Approvals and Specification

- Low sulphur and halogen content according to DIN EN ISO 3452-2 and ASME Code, Section V, Article 6
- Type-tested according to DIN EN ISO 3452-2

Your Benefits

- Very good evaluation due to strong contrast
- Very good washability
- Low consumption
- Biodegradable
- Low odour

For the Environment

- Biodegradable, no water treatment
- Free from hydrocarbons

KO-Check Private Control of the Cont

Packaging -

- 500 ml aerosol can (order no.: 9917.1)
- 5 I canister (order no.: 9917.5)
- 10 I canister (order no.: 9917.2)
- 200 I barrel (order no.: 9917.3)

Suitable Cleaners

- KD-CHECK PR-1
- KD-CHECK PR-2

Suitabel Developers

- KD-CHECK DD-1
- KD-CHECK SD-1

KARL DEUTSCH Pruef- und Messgeraetebau GmbH + Co KG · Otto-Hausmann-Ring 101 · 42115 Wuppertal · Germany Phone +49 202 7192 0 · Fax +49 202 7192 123 · info@karldeutsch.de · www.karldeutsch.de

The Technical Data Sheet provides recommendations and possible examples. Obligations or liability cannot be derived therefrom. The information is based on our current knowledge and does not release the user from personal responsibility. The object conditions and product suitability must be checked professionally and appropriately. Take into account the information given in the Safety Data Sheet. We are happy to provide test samples for trials. Issue: 14 July 2022